



Acer ×zoeschense 'Annae'



Height	8 - 10 m
Crown	round, spherical, half-open crown
Bark and branches	bark grey-brown, young twigs red
Leaf	3/5-lobed, dark green, 5 - 8 cm
Autumn colour	orange, red
Flowers	yellow-green corymbs, May
Fruits	hairy, upright wings, 3 - 5 cm
Spines/thorns	None
Toxicity	usually not toxic to people, (large) pets and livestock
Soil type	any soils
Paving	tolerates partial paving
Winter hardiness zone	6a (-23,3 to -20,6 °C)
Wind resistance	good
Other resistances	resistant to frost (WH 1 - 6), can withstand wind
Fauna tree	resistant to frost (WH 1 - 6), can withstand wind, valuable for butterflies
Application	parks, squares, tree containers, cemeteries, roof gardens, industrial areas, large gardens
Shape	clearstem tree, multi-stem treem
Origin	Schwerin, Germany, 1908

This medium-sized tree is a hybrid between *A. campestre* and *A. cappadocicum* subsp. *lobelii*. *A. zoeschense* 'Annae' has an open, almost spherical crown. The tree has a regular, layered habit and can reach a height of circa 10 m. The young and slender twigs that receive sufficient sunlight, turn a striking red-brown. Mature branches have a grey-brown colour. *A. zoeschense* 'Annae' does not form corky fissures on its twigs. The leaf, slightly resembling *A. campestre*, unfurls dark purple, fading gradually into dark green. The leaf margin is slightly more curvaceous than of the *A. campestre* and is a little larger. Important ornamental feature is the autumn colouring of the glossy, dark green leaf into many red to orange hues. In a sunny site it often stands out better. The fibrous root growth is shallow. Good resistance to air pollution and insensitive to diseases and pests.